


[54] **HARD DISK DRIVE FOR MOUNTING ON THE REAR OF A COMPUTER**
[76] Inventor: Dennis Trager, 542 Marine World Pkwy. #4203, Redwood City, Calif. 94065
[**] Term: 14 Years
[21] Appl. No.: 980,689
[22] Filed: Aug. 3, 1987
[52] U.S. Cl. D14/109; D14/114
[58] Field of Search D14/100-117; D13/40, 41; 174/50, 52 R; 360/97-99, 132, 133; 361/330, 331, 334, 335, 390-395, 399, 415; 200/5 A, 5 R, 6 A, 6 R; 312/198, 208

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 249,945 10/1978 Freijd D14/115
D. 257,510 11/1980 Fow et al. D14/115
D. 285,795 9/1986 Chandler et al. D14/115
4,698,707 10/1987 Heys, Jr. et al. 360/99.12 X
Primary Examiner—Susan J. Lucas
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis

[57] **CLAIM**
The ornamental design for a hard disk drive for mounting on the rear of a computer, as shown and described.

DESCRIPTION
FIG. 1 is a top, rear, right side perspective view of the hard disk drive for mounting on the rear of a computer showing my new design;
FIG. 2 is a back elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a right side, front perspective view thereof;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a front elevational view of a second embodiment of the disk drive showing my design, the undisclosed views are similar to those shown in the first embodiment;
FIG. 10 is a front elevational view of a third embodiment of the disk drive showing my design, the undisclosed views are similar to those shown in the first embodiment;
FIG. 11 is a top, rear, right side perspective view of a fourth embodiment of the disk drive showing my design;
The personal computer shown in FIG. 1 and the screws shown in FIGS. 8 and 9 are shown in broken lines for illustrative purposes only and form no part of the claimed design.
FIG. 12 is a back elevational view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a right side elevational view thereof;
FIG. 15 is a left side elevational view thereof; and
FIG. 16 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3





FIG. 4 FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 13




FIG. 11




FIG. 12.




FIG. 14.




FIG. 15




FIG. 16

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 310,355

DATED : September 4, 1990

INVENTOR(S) : Dennis Trager

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON TITLE PAGE:

In the Application Number, delete "980,689" and insert therefor --080,689--.

Signed and Sealed this
Seventeenth Day of December, 1991

Attest:

Attesting Officer

HARRY F. MANBECK, JR.

Commissioner of Patents and Trademarks