

[54] COMBINED CASSETTE TAPE RECORDER AND RADIO RECEIVER

[75] Inventors: Toshiyuki Matuso, Kawasaki; Kazue Katoh, Tokyo, both of Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 134,454

[22] Filed: Dec. 17, 1987

[30] Foreign Application Priority Data

Sep. 30, 1987 [JP] Japan 62-40051
[52] U.S. Cl. D14/163; D14/165
[58] Field of Search D14/154, 160-168, D14/188, 191-198, 299; 455/344, 347, 350, 351; D3/42, 76, 78, 79

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 165,508 12/1951 Budlong D14/193
D. 276,804 12/1984 Taniguchi et al. D14/163
D. 283,613 4/1986 Nakamura et al. D14/163
D. 294,567 3/1988 Fujii D14/163
D. 295,855 5/1988 Koo D14/163

D. 297,834 9/1988 Kawabe et al. D14/163

OTHER PUBLICATIONS

Luggage and Leather Goods, Jun. 1975, p. 1, top left.


Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] CLAIM

The ornamental design for a combined cassette tape recorder and radio receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front and right-side perspective view of a combined cassette tape recorder and radio receiver, showing our new design;
FIG. 2 is a front and right-side perspective view thereof, shown with cassette door in the open position;
FIG. 3 is a front and right-side perspective view thereof, shown with antenna in the extended position;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left-side elevational view thereof;
FIG. 7 is a right-side elevational view thereof;
FIG. 8 is a top plan view thereof; and
FIG. 9 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9