

[54] **HEEL LIFT**

[75] **Inventor: William A. Lobosco, West Lebanon, N.H.**

[73] **Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 50,344**

[22] **Filed: May 14, 1987**

[52] **U.S. Cl. .... D2/323; D2/314; D2/320**

[58] **Field of Search ..... D2/264, 265, 314, 317-320, D2/323-325; 36/59 R, 34 R, 36 R-36 C, 35 B, 39, 42, 132, 105**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 32,263	2/1900	Morgan .....	36/59 R
1,732,621	10/1929	Schwabbauer .....	36/36 R
2,816,374	12/1957	Joiner, Jr. ....	36/34 R
2,875,532	3/1959	Fitzsimmons .....	36/34 R

**FOREIGN PATENT DOCUMENTS**

153542	10/1953	Australia .....	36/34 R
1229070	9/1960	France .....	36/34 R
1263115	4/1961	France .....	36/34 R

**OTHER PUBLICATIONS**

Boot & Shoe Recorder, 3/1/58, p. 66—Heel at bottom right.


*Primary Examiner*—Louis S. Zarfes  
*Attorney, Agent, or Firm*—Marc R. Dion, Sr.

[57] **CLAIM**

The ornamental design for a heel lift, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a heel lift showing my new design;  
FIG. 2 is a bottom view thereof;  
FIG. 3 is a side view thereof taken along line 3—3 of FIG. 2;  
FIG. 4 is a view of the heel lift taken along line 4—4 of FIG. 3; and  
FIG. 5 is a top view of the heel lift taken along line 5—5 of FIG. 3.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5