United States Patent [19]

MacDonald

Patent Number: Des. 310,447

Date of Patent: ** Sep. 11, 1990

[54]	KEY RING HOLDER	
[76]	Inventor:	Sumner MacDonald, P.O. Box 2552, Providence, R.I. 02906
[*]	Notice:	The portion of the term of this patent subsequent to Aug. 28, 2004 has been disclaimed.
[**]	Term:	14 Years
[21]	Appl. No.:	46,863
[22] [52]		May 7, 1987 D3/61
[58]	Field of Search	
	D8/339, 331, 382; D30/39; 24/239, 231, 3 K,	
	230.5 P, 241 PS, 241 SL, 241 SP, 241 SB;	
	e**	70/459, 456 R
[56]	References Cited	
	U.S. PATENT DOCUMENTS	

4,391,113 7/1983 Jorgens 70/459 Primary Examiner—Louis S. Zarfas

Assistant Examiner—R. T. Seifert Attorney, Agent, or Firm-Robert J. Doherty

CLAIM [57]

The ornamental design for a key ring holder, as shown and described.

1/1989 Harari D3/61

DESCRIPTION

FIG. 1 is a perspective view of a key ring holder showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevational view taken from the left side of FIG. 2;

FIG. 5 is a side elevational view taken from the right side of FIG. 2;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a key ring holder showing a second embodiment of my new design;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a side elevational view thereof taken from the

left side of FIG. 9, the opposite side being the mirror image thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is bottom plan view thereof;

FIG. 14 is perspective view of a key ring holder show-

ing a third embodiment of my new design;

FIG. 15 is front elevational view thereof;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a side elevational view thereof taken from the left side of FIG. 15;

FIG. 18 is a side elevational view thereof taken from the right side of FIG. 15;

FIG. 19 is a top plan view thereof;

FIG. 20 is a bottom plan view thereof.

FIG. 21 is a perspective view of a key ring holder showing a fourth embodiment of my new design;

FIG. 22 is a front elevational view thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a side elevational view taken from the left side of FIG. 22;

FIG. 25 is a side elevational view taken from the right side of FIG. 22;

FIG. 26 is a top plan view thereof;

FIG. 27 is a bottom plan view thereof;

FIG. 28 is a perspective view of a key ring holder show-

ing a fifth embodiment of my new design;

FIG. 29 is a front elevational view thereof;

FIG. 30 is a rear elevational view thereof;

FIG. 31 is a side elevational view thereof taken from the left side of FIG. 29, the opposite side being the mirror image thereof;

FIG. 32 is a top plan view thereof;

FIG. 33 is bottom plan view thereof;

FIG. 34 is perspective view of a key ring holder show-

ing a sixth embodiment of my new design;

FIG. 35 is front elevational view thereof;

FIG. 36 is a rear elevational view thereof;


FIG. 37 is a side elevational view thereof taken from the left side of FIG. 35;

FIG. 38 is a side elevational view thereof taken from the right side of FIG. 35;


FIG. 39 is a top plan view thereof; and


FIG. 40 is a bottom plan view thereof.


The broken line showing of a key ring in FIGS. 1, 8, 14, 21, 28 and 34 is for illustrative purposes only and forms no part of the claimed design.





D310,447

















FIG. 6





FIG. 7



















FIG. 13


















FIG. 19





F1G. 20

















FIG. 26



FIG. 27











FIG. 32











FIG. 33

















FIG. 40