

- [54] HELMET PHOTODETECTOR ARRAY
- [75] Inventors: Leo O. Taylor; Fritz W. Healey, both of Alta Loma, Calif.
- [73] Assignee: Loral Electro-Optical Systems, Inc., Pasadena, Calif.
- [**] Term: 14 Years
- [21] Appl. No.: 155,011
- [22] Filed: Feb. 11, 1988
- [52] U.S. Cl. D10/46; 273/310; 434/22
- [58] Field of Search D10/46; 434/22; 250/215, 209; 350/443; 2/6, 422; 224/181; 273/310, 311

- 4,719,462 1/1988 Hawkins 2/6
- 4,786,966 11/1988 Hanson et al. 224/181 X

OTHER PUBLICATIONS

Lawrence Curran et al., "Electronics" Magazine, 6/23/77, pp. 96, 97, (Lasers to keep GIs on Target). Simulaser Corp., 2/1984, "SR1011 13-Detector Man--Worn Hardness".

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Lyon & Lyon


CLAIM

[57] The ornamental design for helmet photodetector array, as shown.

DESCRIPTION

FIG. 1 is a left side elevational view of a helmet photodetector array showing our new design; FIG. 2 is a bottom plan view; FIG. 3 is a right side elevational view; FIG. 4 is a top plan view; FIG. 5 is a top, left side perspective view, the drawing being broken away for ease of illustration; FIG. 6 is a front elevational view; and FIG. 7 is a rear elevational view thereof.

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- 3,104,478 9/1963 Strauss et al. 434/22
- 3,833,300 9/1974 Rymes 350/443 X
- 3,898,747 8/1974 Marshall 434/22
- 4,063,368 12/1977 McFarland et al. 434/22
- 4,231,117 11/1980 Aileo 2/6
- 4,446,480 5/1984 Breglia et al. 434/22 X
- 4,629,427 12/1986 Gallagher 434/22






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 7




FIG. 5