

[54] KEY HOLDER

[76] Inventors: James R. Stillwagon, 890 Gatehouse La., Worthington, Ohio 43235; Scott H. Lee, R.R. #2, Church St., Putnam, Conn. 06260

[**] Term: 14 Years

[21] Appl. No.: 295,582

[22] Filed: Jan. 11, 1989

[52] U.S. Cl. D3/61

[58] Field of Search D3/61-65, D3/103; 70/457, 459, 456 R; 24/3 K

[56] References Cited

U.S. PATENT DOCUMENTS

3,186,052	6/1965	Bobrow	24/3 K
3,299,679	1/1967	Anderson	70/459
3,600,917	8/1971	Krock	70/457
3,906,763	9/1975	Bochory	70/456 R
4,079,607	3/1978	Spruyt	70/456 R
4,821,543	4/1989	Scungio	D3/61

Primary Examiner—Louis S. Zarfes

Assistant Examiner—R. T. Seifert



Attorney, Agent, or Firm—Erwin Doerr

[57] CLAIM

The ornamental design for a key holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a keyholder showing our new design;
 FIG. 2 is a top plan view;
 FIG. 3 is a bottom plan view;
 FIG. 4 is a left side elevational view;
 FIG. 5 is a front elevational view;
 FIG. 6 is a right side elevational view;
 FIG. 7 is an exploded perspective view;
 FIG. 8 is a bottom plan view of a keyholder showing a second embodiment of our new design;
 FIG. 9 is a left side elevational view;
 FIG. 10 is a front elevational view;
 FIG. 11 is a right side elevational view;
 FIG. 12 is a top plan view;
 FIG. 13 is a bottom plan view of a keyholder showing a third embodiment of our new design;
 FIG. 14 is a left side elevational view;
 FIG. 15 is a front elevational view;
 FIG. 16 is a right side elevational view; and
 FIG. 17 is a top plan view.






FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16



FIG. 17