

[54] **TIRE**

[75] **Inventors: Paul B. Maxwell, Akron; William E. Egan, Tallmadge, both of Ohio**

[73] **Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 264,310**

[22] **Filed: Oct. 28, 1988**

[52] **U.S. Cl. .... D12/146**

[58] **Field of Search .... D12/145-151, D12/140; 152/209 R, 209 B, 209 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 56,413 10/1920 Bretson ..... D12/146
- D. 215,133 9/1969 Porten ..... D12/146

D. 291,428 8/1987 Shinomiya et al. .... D12/146

**OTHER PUBLICATIONS**

Tires, TBA, 2/53, p. 29, Tire, top right side of page.


*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—L. R. Drayer

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevation view thereof; FIG. 3 is a side elevation view thereof on a reduced scale; and FIG. 4 is an enlarged fragmentary plan view thereof.






FIG. 1






FIG. 2




FIG.3






FIG.4