

[54] **FRONT SOLE REINFORCEMENT PLATE**

[75] **Inventor: Yoshiaki Hase, Akashi, Japan**

[73] **Assignee: Asics Corporation, Hyogo, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 62,749**

[22] **Filed: Jun. 16, 1987**

[30] **Foreign Application Priority Data**

Dec. 17, 1986 [JP] Japan ..... 61-49920

[52] **U.S. Cl. .... D2/314**

[58] **Field of Search ..... D2/204, 205, 274, 311,  
D2/314, 317-321, 309; 36/25 R, 28, 29, 32 R,  
43, 59 R, 59 C**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 162,665 3/1951 Klein ..... D2/317

D. 271,158 11/1983 Hopper ..... D2/317

*Primary Examiner*—Louis S. Zarfes

*Attorney, Agent, or Firm*—Nixon & Vanderhye

[57] **CLAIM**

The ornamental design for a front sole reinforcement plate, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of a front sole reinforcement plate showing my new design;  
FIG. 2 is a top perspective view of the reinforcement plate;  
FIG. 3 is a front elevational view of the reinforcement plate;  
FIG. 4 is a rear elevational view of the reinforcement plate;  
FIG. 5 is a top plan view of the reinforcement plate;  
FIG. 6 is a bottom plan view of the reinforcement plate;  
FIG. 7 is a left side elevational view of the reinforcement plate;  
FIG. 8 is a left side elevational view of the reinforcement plate;  
FIG. 9 is a top plan view of the reinforcement plate and  
FIG. 10 is a bottom plan view of the reinforcement plate.




Fig. 1







Fig. 2




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*




*Fig. 7*



*Fig. 8*



*Fig. 9*



*Fig. 10*

