

[54] TIRE

[75] Inventors: Darrell E. Covert, Uniontown; Philip S. Hammond, Mogadore; Paul B. Maxwell, Akron, all of Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 217,741

[22] Filed: Jul. 11, 1988

[52] U.S. Cl. D12/147

[58] Field of Search D12/145-151,
D12/140; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

4,726,407 2/1988 Hayakawa et al. 152/209 R
4,732,194 3/1988 Saneto et al. 152/209

FOREIGN PATENT DOCUMENTS

0292508 12/1987 Japan 152/209 D

1046105 6/1988 United Kingdom .

OTHER PUBLICATIONS

Japanese Abstract 63-121508, Issued 5/25/88.
1986 Tread Design Guide, p. 56, Row 2, Column 2,
Ohtsu Falken FX-05V.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire showing one embodiment of our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevation view thereof on a reduced scale; and

FIG. 4 is an enlarged fragmentary plan view thereof in inverted condition.






FIG. 1




FIG.2




FIG. 3




FIG. 4