

[54] COMBINED VIDEO TAPE RECORDER AND
TELEVISION RECEIVER

[75] Inventor: Takeshi Iwama, Tokorozawa, Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 245,383

[22] Filed: Sep. 16, 1988

[30] Foreign Application Priority Data

Jun. 14, 1988 [JP] Japan 63-23504
[52] U.S. Cl. D14/129; D14/135
[58] Field of Search D14/124-126,
D14/129, 134-136, 156, 160-165; 358/236,
254, 255; 312/7.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 272,908 3/1984 Matsuo D14/126
D. 303,257 9/1989 Kawata et al. D14/126
D. 306,439 3/1990 Nakatsuka D14/126
D. 306,581 3/1990 Kautz D14/126
D. 306,722 3/1990 Segawa et al. D14/126
4,803,560 2/1989 Matsunaga et al. 358/254 X

OTHER PUBLICATIONS

High Fidelity; Jan. 1987; p. 19; top-Aiwa DAT-2000.
Design 460; Apr. 1987; p. 23; Sharp TV & Cassette.
Video Review; Aug. 1987; p. 19; right-8mm/LCD
Combo: Walkman.


Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H.
Maioli

[57] CLAIM

The ornamental design for a combined video tape re-
corder and television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front, and left-side perspective view
of a combined video tape recorder and television re-
ceiver, showing my new design;
FIG. 2 is a bottom, front, and left-side perspective view
thereof, shown with antenna in the extended position;
FIG. 3 is a bottom, front, and left-side perspective view
thereof, shown with viewing screen in the raised posi-
tion;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left-side elevational view thereof;
FIG. 7 is a right-side elevational view thereof;
FIG. 8 is a top plan view thereof; and
FIG. 9 is a bottom plan view thereof.






FIG. 2




FIG. 1





FIG. 4

FIG. 3






FIG. 5

FIG. 6




FIG. 8




FIG. 9



FIG. 7

