

[54] BINOCULARS

[76] Inventors: Shouji Wakayama; Akio Akiyama, both of c/o Young Optical Co., Ltd., No. 2-16-12, Tateishi, Katsushika-ku, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 244,461

[22] Filed: Sep. 15, 1988

[52] U.S. Cl. D16/133

[58] Field of Search D16/133; 350/545, 546, 350/548, 549, 550, 551, 552, 555, 556, 547; 351/481

[56] References Cited

U.S. PATENT DOCUMENTS

D. 224,568	8/1972	Baughman	D16/133
392,851	11/1881	Cardwell	350/546
3,257,901	6/1966	Dowling et al.	350/555
3,532,419	10/1970	Tanaka	D16/229 X

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris V. Coles

[57] CLAIM

The ornamental design for binoculars, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the binoculars, in unfolded position, showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a front elevational view thereof in folded position;
 FIG. 4 is a rear elevational view thereof in folded position;
 FIG. 5 is a side elevational view in unfolded position;
 FIG. 6 is a side elevational view thereof in folded position;
 FIG. 7 is a top plan view thereof in unfolded position;
 FIG. 8 is a top plan view thereof in folded position; and
 FIG. 9 is a front perspective view thereof in unfolded position.

The bottom of the binoculars is the same as the top of the binoculars as depicted in FIG. 7.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

