

United States Patent [19]

Tanaka et al.

[11] Patent Number: **Des. 311,016**

[45] Date of Patent: **** Oct. 2, 1990**

[54] CAMERA

[75] Inventors: **Noboru Tanaka, Kawasaki; Takayuki Tsuboi, Yokohama, both of Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **128,893**

[22] Filed: **Dec. 1, 1987**

[30] Foreign Application Priority Data

Jun. 1, 1987 [JP] Japan 62-22740

[52] U.S. Cl. **D16/209**

[58] Field of Search D16/200, 208, 209, 211, D16/212, 216, 217, 218; 354/82, 126, 149.11, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 279,573 7/1985 Agou et al. D16/218

D. 293,685 1/1988 Tanaka et al. D16/5
D. 293,917 1/1988 Tanaka et al. D16/5
D. 296,214 6/1988 Suyama et al. D16/209

OTHER PUBLICATIONS

35 mm. Photography, 7/86, p. 10.

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and

FIG. 7 is a front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

