

[54] ILLUMINATED REFLECTIVE EMERGENCY TRAFFIC MARKER

[75] Inventor: John S. Yuen, Kowloon, Hong Kong

[73] Assignee: John Manufacturing Limited, Kowloon, Hong Kong

[**] Term: 14 Years

[21] Appl. No.: 41,319

[22] Filed: Apr. 22, 1987

[30] Foreign Application Priority Data

Nov. 12, 1986 [GB] United Kingdom 1038014
[52] U.S. Cl. D10/114; D10/109
[58] Field of Search D10/114, 115, 109; D26/28, 30, 31, 34, 35, 36; D20/10; 340/468; 116/63 P, 63 T, 28

[56] References Cited

U.S. PATENT DOCUMENTS

3,456,100 7/1969 Green 116/63 P X
3,934,541 1/1976 May et al. 116/63 T

FOREIGN PATENT DOCUMENTS

8600858 2/1986 United Kingdom 116/63 T


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Fay, Sharpe, Beall, Fagan, Minnich & McKee

[57] CLAIM

The ornamental design for an illuminated reflective emergency traffic marker, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an illuminated reflective emergency traffic marker showing my new design;
FIG. 2 is a left side elevational view thereof the right side being a mirror image;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof, the adjustable cross-piece of the base being swiveled at right angles to the base.
FIG. 7 is a front perspective view thereof. The cross-hatching which indicates the reflective surface on the marker is partially shown in FIG. 7 for convenience of illustration, it being understood that the cross-hatching is continuous over those surfaces as shown in FIGS. 1 and 3.






FIG. 1.




FIG. 2.




FIG. 3.



FIG. 4.



FIG. 5.




FIG. 6.




FIG. 7