



[54] BOTTLE CLOSURE
[75] Inventor: Gerald Zinnbauer, Buy Village, Ohio
[73] Assignee: Kardon Industries, Inc., Philadelphia, Pa.
[**] Term: 14 Years
[21] Appl. No.: 88,789
[22] Filed: Aug. 24, 1987
[52] U.S. Cl. D9/448
[58] Field of Search D9/448, 453, 450, 446-447, D9/338, 373, 375, 435, 442, 436, 440, 434, 449; D22/7; 222/252, 220, 253, 344, 200, 478, 207, 531, 537, 548, 551, 568, 480, 528, 534, 565, 567; 206/307, 309; 215/304, 306, 252, 228, 344, 220, 203

[56] References Cited
U.S. PATENT DOCUMENTS
212,871 12/1968 Anderson D9/97
D. 217,955 7/1970 Howard et al. D9/2
D. 274,132 6/1984 Nightingale, III D9/453
D. 279,456 7/1985 Fortuna D9/389
D. 286,027 10/1986 Waher et al. D9/435
1,875,431 9/1932 Fabrice .
2,028,175 1/1936 Waite 221/60
2,201,205 5/1940 Samburg 215/7
2,334,851 11/1943 Waite 221/60
2,414,420 1/1947 Sebell 215/43
3,151,777 10/1964 Rooney 222/92
3,278,095 10/1966 Johns 222/528
3,335,889 8/1967 Brumme 215/7
3,673,761 7/1972 Leitz 53/42
3,863,796 2/1975 Roy 215/220
3,957,169 5/1976 Coursaut 215/253
4,002,259 1/1977 Geiser 215/216
4,122,965 10/1978 Roy 215/344
4,126,240 11/1978 Brach 215/252
4,303,168 12/1981 Roy 215/344
4,444,328 4/1984 Glass 215/230
4,448,317 5/1984 Thompson 215/203
4,480,761 11/1984 Aichinger 215/252
4,506,795 3/1985 Herr 215/252
4,550,845 11/1985 Guala 215/252
4,573,601 3/1986 Berglund 215/252
4,591,062 5/1986 Sandhaus 215/230

4,595,110 6/1986 Herr 215/252
4,595,547 6/1986 Herr 264/154
4,595,833 7/1986 Herr 215/220
4,598,833 7/1986 Herr 215/220
4,609,114 9/1986 Roy 215/220
Primary Examiner—A. Hugo Word
Assistant Examiner—R. T. Seifert
Attorney, Agent, or Firm—Volpe and Koenig

[57] CLAIM
The ornamental design for a bottle closure, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a bottle closure showing my new design;
FIG. 2 is a front elevational view;
FIG. 3 is a rear elevational view;
FIG. 4 is a side elevational view, the opposite side view being a mirror image thereof;
FIG. 5 is a top plan view;
FIG. 6 is a bottom plan view;
FIG. 7 is a perspective view of a bottle closure showing a second embodiment of my new design;
FIG. 8 is a front elevational view of FIG. 7;
FIG. 9 is a rear elevational view of FIG. 7;
FIG. 10 is a side elevational view of FIG. 7, the opposite side view being a mirror image thereof;
FIG. 11 is a top plan view of FIG. 7;
FIG. 12 is a bottom plan view of FIG. 7;
FIG. 13 is a perspective view of a bottle closure showing a third embodiment of my new design;
FIG. 14 is a front elevational view of FIG. 13;
FIG. 15 is a rear elevational view of FIG. 13;
FIG. 16 is a side elevational view of FIG. 13, the opposite side view being a mirror image thereof;
FIG. 17 is a top plan view of FIG. 13;
FIG. 18 is a bottom plan view of FIG. 13;
FIG. 19 is a perspective view of a bottle closure showing a fourth embodiment of my new design;
FIG. 20 is a front elevational view of FIG. 19;
FIG. 21 is a rear elevational view of FIG. 19;
FIG. 22 is a side elevational view of FIG. 19, the opposite side view being a mirror image thereof;
FIG. 23 is a top plan view of FIG. 19; and
FIG. 24 is a bottom plan view of FIG. 19.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

