United States Patent [19]

Neal

Patent Number: Des. 311,676 Date of Patent: ** Oct. 30, 1990 [45]

			•	
[54]	BICYCLE HANDLEBAR GRIP			
[76]	Inventor		Kenneth L. Neal, 18903 Anelo Ave., Gardena, Calif. 90248	
[**]	Term:	14	Years	
[21]	Appl. No.: 209,047			
[52]	Filed: Jun. 17, 1988 U.S. Cl			
[56] References Cited				
U.S. PATENT DOCUMENTS				
4	4,308,762 4,416,166 1	1/1982 1/1983	Hwung	
2185209 7/1987 United Kingdom 74/551.9				

American Bicyclist & Motorcyclist, Nov. 1986, p. 17, FN-348, Handlegrip.

OTHER PUBLICATIONS

American Bicyclist & Motorcyclist, Aug. 1986, p. 59, Handlegrip in the circled area.

J. C. Whitney & Co. catalog No. 28C, Mar. 1983, p. 12, Heated Handlebar Grips.

Primary Examiner—James M. Gandy

Assistant Examiner—Melody Brown Attorney, Agent, or Firm-Fulwider Patton Reiber Lee & Utecht

[57]

The ornamental design for a bicycle handlebar grip, as shown and described.

CLAIM

DESCRIPTION

FIG. 1 is a front perspective view of a first form of bicycle handlebar grip showing my new design;

FIG. 2 is a rear perspective view of said bicycle handle-

bar grip;

FIG. 3 is a top plan view of said bicycle handlebar grip; FIG. 4 is a side elevational view of said bicycle handlebar grip;

FIG. 5 is a bottom plan view of said bicycle handlebar grip;


FIG. 6 is a rear elevational view of said handlebar grip; FIG. 7 is a front elevational view of said bicycle handlebar grip;


FIG. 8 is a side elevational view of a second form of bicycle handlebar grip showing my new design, the side opposite that shown having the same appearance;


FIG. 9 is a top plan view of the grip of FIG. 8, the bottom of said grip having the same appearance;


FIG. 10 is a rear elevational view of the grip of FIG. 8; and

FIG. 11 is a front elevational view of the grip of FIG. 8.












F/G.4




F/G.5




F/G.6




F/G.7




Oct. 30, 1990




F/G.8



F/G.9



F/G./0



F/G.//