

[54] TIRE

[75] Inventors: Romano Guermandi, Milan; Maurizio Boiocchi, Segrate, both of Italy

[73] Assignee: Pirelli Coordinamento Pneumatici S.p.A., Italy

[*] Notice: The portion of the term of this patent subsequent to Nov. 6, 2004 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 110,494

[22] Filed: Oct. 20, 1987

[30] Foreign Application Priority Data

May 8, 1987 [IT]	Italy	21558/87[U]
[52] U.S. Cl.	D12/146	
[58] Field of Search	D12/145-151; 152/209 R, 209 B, 209 D	

[56] References Cited

U.S. PATENT DOCUMENTS

D. 288,190 2/1987 Hayakawa D12/147

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 52, Ohtsu Hi-Steel Joyl Tire, top left side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] CLAIM


The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire;

FIG. 2 is a front elevational view thereof; and

FIG. 3 is a side elevation view thereof, the opposite side being a mirror image of that shown.






FIG. 1




FIG. 2




FIG. 3