

[54] TIRE

[75] Inventors: Darrell E. Covert, Uniontown; Philip S. Hammond, Mogadore; Paul B. Maxwell, Akron, all of Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 244,455

[22] Filed: Sep. 14, 1988

[52] U.S. Cl. .... D12/147

[58] Field of Search ..... D12/145-151, D12/140; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 301,023 5/1989 Grohman et al. .... D12/147

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 59, Pirelli, P600 Tire, bottom left side of page.

1987 Tread Design Guide, p. 81, Yokohama AV-

S-V141, V151 Tire & A403 Tire, second row down from top & second tire in from right side of page & third row down from top, right side of page respectively. 1986 Tread Design Guide, p. 56, Row 2, Column 2, Ohtsu Falken FX-05V Tire.

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire showing one embodiment of our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevation view thereof on a reduced scale; and

FIG. 4 is an enlarged fragmentary front elevation view thereof.






FIG. 1






FIG. 2




FIG.3




FIG.4