

[54] REMOTE I/O UNIT FOR A SEQUENCE CONTROLLER

[75] Inventors: Osamu Ohsawa; Takichi Nagashashi; Tatsuo Ito; Hisayoshi Ito, all of Nagoya; Nobuyuki Kondo, Kamakura, all of Japan

[73] Assignee: Mitsubishi Denki Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 201,828

[22] Filed: Jun. 3, 1988

[30] Foreign Application Priority Data

Dec. 4, 1987 [JP] Japan 62-49778

[52] U.S. Cl. D13/162

[58] Field of Search D13/12, 35, 40, 41, D13/99, 123, 162, 184, 199; D14/100, 101, 114; 361/331-334, 346, 390-394; 364/141, 146, 147, 188, 190-193; 901/3, 4, 5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 281,493 11/1985 Prager et al. D13/40

D. 287,117 12/1986 Saiki et al. D13/12
D. 291,317 8/1987 Sharp D14/114
D. 296,694 7/1987 Shimizu et al. D13/12
D. 298,747 11/1988 Shibayama et al. D13/12
4,658,375 4/1987 Onogi et al. 361/393

OTHER PUBLICATIONS

Design News, 11-4-85, p. 38, Omron Controller.

Primary Examiner—Susan J. Lucas

Assistant Examiner—Joel Sincavage


Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] CLAIM

The ornamental design for a remote I/O unit for a sequence controller, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a remote I/O unit for a sequence controller showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view thereof.






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7