

[54] **KEYCAP**

[75] Inventor: **David L. Schaum**, Woodstock, N.Y.

[73] Assignee: **International Business Machines Corporation**, Armonk, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **41,373**

[22] Filed: **Apr. 22, 1987**

[52] U.S. Cl. .... **D14/114**

[58] Field of Search ..... **D14/100, 101, 105, 106, D14/107, 113, 114, 115; D18/1, 4, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 364/706-710; 235/145 A, 145 R; 400/689-694; 200/313-315**

4,365,903 12/1982 Zeller et al. .... 200/314 X  
 4,563,550 1/1986 Bertina ..... 200/314 X  
 4,670,633 6/1987 Kaiwa et al. .... 200/313 X

**OTHER PUBLICATIONS**

Lighted Program Function Keyboard and Keycap Design-Photographs (4) ©1986.

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—William A. Kinnaman, Jr.; George E. Clark

**CLAIM**

The ornamental design for a keycap, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a keycap showing my new design;  
 FIG. 2 is a top, rear, left side perspective view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 212,865	12/1968	Bowman et al. ....	D18/12
D. 219,027	10/1970	Miller .....	D14/15
D. 282,474	2/1986	Sparks et al. ....	D18/12
3,516,604	6/1970	Taylor et al. ....	235/145 R
3,861,235	1/1975	Wenderoth .....	235/145 R X




FIG. 1




FIG. 2





FIG. 3






FIG. 4

FIG. 5





FIG. 6