

[54] FACSIMILE TRANSCEIVER

[75] Inventors: Masahito Saegusa, Mitaka; Kazunori Hashimoto, Tachikawa; Yoshihiro Kawakatsu, Sayama; Katsubumi Ohuchi, Chigasaki; Hiroshi Endo, Yokohama, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 217,812

[22] Filed: Jul. 12, 1988

[30] Foreign Application Priority Data

Jan. 13, 1988 [JP] Japan 63-672
[52] U.S. Cl. D14/118
[58] Field of Search D14/118, 141, 248;
D18/36, 37; 358/400, 401

[56] References Cited

U.S. PATENT DOCUMENTS

D. 294,703	3/1988	Kando	D14/118
D. 301,581	6/1989	Watanabe	D14/118
D. 301,878	6/1989	Noma	D14/118
D. 304,874	11/1989	Saegusa et al.	D14/118

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[57] CLAIM

The ornamental design for a facsimile transceiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a facsimile transceiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

