

[54] TIRE

[75] Inventors: Darrell E. Covert, Uniontown; Philip S. Hammond, Mogadore; Paul B. Maxwell, Akron, all of Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 217,742

[22] Filed: Jul. 11, 1988

[52] U.S. Cl. D12/147

[58] Field of Search D12/145-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,887	1/1979	Poque	D12/147
D. 278,423	4/1985	Baus	D12/147
D. 292,083	9/1987	Ozawa	D12/147
D. 307,881	5/1990	Miller et al.	D12/147
4,641,696	2/1987	Semin et al.	152/209 R

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing one embodiment of our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevation view thereof;

FIG. 3 is an enlarged fragmentary plan view thereof;


FIG. 4 is a right side elevation view thereof on a reduced scale;

FIG. 5 is a perspective view of a tire showing a second embodiment of our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 6 is a front elevation view of FIG. 5;

FIG. 7 is a right side elevation view of FIG. 5 on a reduced scale; and

FIG. 8 is an enlarged fragmentary plan view of FIG. 5.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG. 6




FIG. 7




FIG. 8