

[54] CAMERA

[75] Inventors: Takafumi Matsuoka; Takayuki Kubodera, both of Tokyo, Japan

[73] Assignee: Kyocera Corporation, Kyoto, Japan

[**] Term: 14 Years

[21] Appl. No.: 165,135

[22] Filed: Mar. 7, 1988

[30] Foreign Application Priority Data

Sep. 8, 1987 [JP] Japan 62-36682

[52] U.S. Cl. D16/213; D16/218

[58] Field of Search D16/200, 201, 202, 203, D16/204, 205, 213, 216, 217, 218; 352/242; 354/75, 76, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,912 5/1966 Linder D16/218

D. 217,788 6/1970 Fukuda D16/205

D. 263,476 3/1982 Sasaki D16/213
4,326,790 4/1982 Hirata et al. 354/288
4,499,504 2/1985 Edakubo et al. 358/906

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Spensley Horn Jubas & Lubitz

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a camera showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and
FIG. 8 is a top front perspective view with the lens in extended position.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

