

United States Patent [19]

Burns

[11] Patent Number: Des. 312,138

[45] Date of Patent: ** Nov. 13, 1990

[54] **FLASHLIGHT**

[75] Inventor: **Bruce Burns, Portland, Oreg.**

[73] Assignee: **Burns Bros., Inc., Portland, Oreg.**

[**] Term: **14 Years**

[21] Appl. No.: **179,911**

[22] Filed: **Apr. 8, 1988**

[52] U.S. Cl. **D26/49**

[58] Field of Search **D26/37-50;**
362/157, 158, 191-208, 183-190

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 205,679 9/1966 Moore et al. **D26/46**
D. 287,642 1/1987 Kung **D26/40**
D. 289,930 5/1987 Sano et al. **D26/49**
D. 290,406 6/1987 Brown **D26/38**

Primary Examiner—Susan J. Lucas

Assistant Examiner—M. H. Tung

Attorney, Agent, or Firm—Shapiro and Shapiro

[57] **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a flashlight showing my new design, the opposite side being a mirror image;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a side elevational view of a second embodiment thereof, the second embodiment differs from the first only by a shorter handle;

FIG. 7 is a side elevational view of a third embodiment thereof, the third embodiment differs from the first only by a reduction in size and an attachment hole on the end;

FIG. 8 is a rear elevational view thereof;

FIG. 9 is a side elevational view of a fourth embodiment thereof, the fourth embodiment differs from the first only by a reduction in size, an attachment hole on the end, and no elevated switch;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof.





FIG. 1




FIG. 2







FIG. 3*FIG. 5**FIG. 4*

FIG. 6








FIG. 7*FIG. 8**FIG. 9**FIG. 10**FIG. 11*