

[54] COMBINED TAPE PLAYER AND RADIO RECEIVER

[75] Inventor: Michiko Yoshii, Osaka, Japan

[73] Assignee: Sanyo Electric Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 166,602

[22] Filed: Mar. 10, 1988

[30] Foreign Application Priority Data

Sep. 16, 1987 [JP] Japan 62-37745

[52] U.S. Cl. D14/163; D14/188

[58] Field of Search D14/141, 160-168, D14/188-189, 191-192, 196, 199, 202, 299; 455/344, 350, 351

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 257,974 1/1981 Houlihan D14/165
- D. 270,908 10/1983 Sumita D14/165
- D. 277,564 2/1985 Ohno et al. D14/163

- D. 277,565 2/1985 Murakami et al. D14/163
- D. 290,112 6/1987 Kukita et al. D14/163
- D. 290,114 6/1987 Kukita et al. D14/165

OTHER PUBLICATIONS

HFD; 01/05/87; p. 109; left—Conair Rock-It-Radio. Stereo Review; Dec. 1987; p. 109; Panasonic XBS Personal Stereo.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a combined tape player and radio receiver, as shown.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a combined tape player and radio receiver showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a left side elevational view thereof; and
 FIG. 7 is a right side elevational view thereof.




FIG. 2




FIG. 1




FIG. 3





FIG. 4






FIG. 5

FIG. 6




FIG. 7

