

[54] VEHICLE HEADREST

[76] Inventor: David Boyt, 800 N. Water, Pittsburg, Kans. 66762

[**] Term: 14 Years

[21] Appl. No.: 91,043

[22] Filed: Aug. 31, 1987

[52] U.S. Cl. D12/155

[58] Field of Search D12/155; D6/501; 297/391, 394, 395, 396, 397, 404

[56] References Cited

U.S. PATENT DOCUMENTS

D. 241,700	10/1976	Wattie	D6/601
D. 247,312	2/1978	Zeiss	D6/601
2,958,769	11/1960	Bounds	D6/601
4,114,948	9/1978	Perkey	297/397
4,762,367	8/1988	Denton	297/391

FOREIGN PATENT DOCUMENTS

2115584 5/1972 Fed. Rep. of Germany 297/391

OTHER PUBLICATIONS

J. C. Whitney & Co., Catalog No. 474j, ©1986, p. 42, parts & accessories, Protective Headrest.

Primary Examiner—James M. Gandy

Assistant Examiner—Melody Brown

Attorney, Agent, or Firm—Hovey, Williams, Timmons & Collins

[57] CLAIM

The ornamental design for a vehicle headrest, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle headrest showing my new design;
 FIG. 2 is a top plan view, the bottom plan view being a mirror image thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a side elevational view, the opposite side being a mirror image thereof;
 FIG. 5 is a front elevational view thereof;
 FIG. 6 is a perspective view of a vehicle headrest showing a second embodiment of my new design;
 FIG. 7 is a top plan view of FIG. 6, the bottom plan view being a mirror image of that shown;
 FIG. 8 is a rear elevational view of FIG. 6;
 FIG. 9 is a side elevational view of FIG. 6, the opposite side being a mirror image of that shown; and
 FIG. 10 is a front elevational view of FIG. 6.





Fig. 2.




Fig. 1.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 7.




Fig. 6.




Fig. 8.




Fig. 9.




Fig. 10.

