

[54] LENS PANEL FOR LIGHTING FIXTURE

[75] Inventor: Bernard Rogover, Lauderhill, Fla.

[73] Assignee: Alan-Tracy, Inc., Miami, Fla.

[**] Term: 14 Years

[21] Appl. No.: 82,106

[22] Filed: Aug. 5, 1987

[52] U.S. Cl. D26/152; D26/122;
D26/154

[58] Field of Search D26/72, 80-92,
D26/18, 120, 122, 127, 154, 152; 362/404-408,
362, 363, 432, 147, 329-341

[56] References Cited

U.S. PATENT DOCUMENTS

D. 177,791 5/1956 Buschman D26/154
D. 197,858 3/1964 Harper D26/152
D. 201,907 8/1965 Wellhofer et al. D26/152
D. 214,751 7/1969 Friedman et al. D26/154
1,623,030 3/1927 Bloch 362/339 X
2,513,565 7/1950 Johnson 362/332
3,530,289 9/1970 Friedman et al. 362/332

OTHER PUBLICATIONS

Wilshire Lighting Catalog, Supplement 1983, front cover, Lens Panel.

Triarch Industries, "Swirl Collection", (catalog insert), pp. 101 through 140.

Triarch Industries, "Variations", (catalog insert), pp. 401 through 428.

Triarch Industries, "Luna Collection", (catalog insert), pp. 301 through 318.

Copy of photo depicting Triarch "Wing" wall strips.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Panitch, Schwarze Jacobs & Nadel

[57] CLAIM

The ornamental design for a lens panel for lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a lens panel for lighting fixture showing my new design;

FIG. 2 is a side elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view of a second embodiment of my new design;

FIG. 7 is a side elevation view thereof;

FIG. 8 is a rear elevation view thereof;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIGS. 11 through 13 are front elevation views of third, fourth, and fifth embodiments of my new design, these embodiments differing from the first embodiment only in length;

FIG. 14 is a fragmentary front elevation view of a sixth embodiment of my design, the figure being broken away to indicate indeterminate length, this embodiment also differing from the first embodiment only in length;

FIGS. 15 through 17 are front elevation views of seventh, eighth, and ninth embodiments of my new design, these embodiments differing from the second embodiment only in length;


FIG. 18 is a fragmentary front elevation view of a tenth embodiment of my design, the figure being broken away to indicate indeterminate length, this embodiment also differing from the second embodiment only in length;

FIGS. 19, 20, and 21 are fragmentary front, side and rear elevation views, respectively of an eleventh embodiment of my new design, these figures being broken away to indicate indeterminate length;

FIG. 22, 23, and 24 are fragmentary front, side and rear elevation views, respectively of a twelfth embodiment of my new design, these figures being broken away to indicate indeterminate length.

The supporting eyes are shown in broken lines in FIGS. 1 through 4, 6 through 9, and 11 through 18 for illustrative purposes only.

FIGS. 6 through 10, 15 through 18, and 22 through 24 are shaded with oblique lines to indicate translucency.






FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22



FIG. 23




FIG. 24