

[54] TIRE

D. 277,174 1/1985 Casimiro et al. D12/142
D. 279,363 6/1985 Fukomoto et al. 12/143

[75] Inventors: Georges Adam, Bissen, Luxembourg;
Robert P. Loser, Akron, Ohio

[73] Assignee: The Goodyear Tire & Rubber
Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 255,170

[22] Filed: Oct. 7, 1988

[52] U.S. Cl. D12/143

[58] Field of Search D12/141-143;
152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 233,324 10/1974 Vizinia, Jr. 12/143
- D. 253,642 12/1979 Amarger D12/142
- D. 260,250 8/1981 Petitalot D12/143
- D. 265,184 6/1982 Hammond D12/143
- D. 269,002 5/1983 Hammond 12/143

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 167, Cordovan Power King R-9 Steel Radial Tire, top right side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevation view thereof; FIG. 3 is a side elevation view thereof on a reduced scale; and FIG. 4 is an enlarged fragmentary front elevation view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4