

[54] **TIRE**

[75] **Inventor: David A. Yarborough, Akron, Ohio**

[73] **Assignee: Bridgestone/Firestone, Inc., Akron, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 247,812**

[22] **Filed: Sep. 22, 1988**

[52] **U.S. Cl. D12/146**

[58] **Field of Search D12/145-151;
152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 247,891	5/1978	Bennett	D12/146
D. 261,382	10/1981	Peron	D12/147
D. 269,336	6/1983	Yurkovich	D12/146
D. 278,221	4/1985	Kojima et al.	D12/147
D. 288,190	2/1987	Hayakawa	D12/147

FOREIGN PATENT DOCUMENTS

0075760 4/1983 European Pat. Off. .

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 117, Dunlop Radial Rover RV Tire, bottom center of page.

1988 Tread Design Guide, vol. 23, p. 148, Sonic Vagabond A/S, top row, second from right.

1988 Tread Design Guide, vol. 23, p. 123, Firestone Radial ATX, top row, extreme right.

Primary Examiner—James M. Gandy


Attorney, Agent, or Firm—Ernst H. Ruf

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3