United States Patent [19]

Suzuki et al.

FLUORESCENT LAMP [54]

- Inventors: Masakatsu Suzuki; Makoto Kosaka; [75] Hiroyoshi Yamazaki; Mitsuyuki Futatsugi; Toshiharu Fujita; Fuminobu Takizawa; Tamami Tsuchiya; Takeo Saikatsu, all of Kamakura, Japan
- Mitsubishi Denki Kabushiki Kaisha, 73 Assignee: Tokyo, Japan
- 14 Years ** Term:

Patent Number: Des. 312,700 [11] Date of Patent: ****** Dec. 4, 1990 [45]

DESCRIPTION

FIG. 1 is a top, front perspective view of a fluorescent lamp showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a cross-sectional view as taken on line 8-8 of FIG. 6;

Appl. No.: 43,298 [21]

Apr. 28, 1987 Filed: [22]

[30] **Foreign Application Priority Data**

Oct.	31, 1986	[JP]	Japan				61-043282
Oct.	31, 1986	[JP]	Japan	•••••	• • • • • • • • • • • • • • • •		61-043284
Oct.	31, 1986	[JP]	Japan		* • • • • • • • • • • • • • • •	••••	61-043286
Oct.	31, 1986	[JP]	Japan		• • • • • • • • • • • • • • • •		61-043288
Oct.	31, 1986	[JP]	Japan	•••••			61-043290
Oct.	31, 1986	[JP]	Japan	•••••		• • • • • • • • • • • • • • •	61-043291
[52]	U.S. Cl.				•••••		D26/3
[58]	Field of	Search			D26/2,	3; 313/	493, 318,
						313	/485, 579

[56] **References** Cited

U.S. PATENT DOCUMENTS

D. 287,286 12	/1986	Suzuki et al D26/3
D. 292,320 10	/1987	Futatsugi et al
3,501,662 3	/1970	Plagge
4,545,774 10	/1985	Vangils et al
4.665.341 5	/1987	Imamura et al

FIG. 9 is a cross-sectional view as taken on line 9-9 of FIG. 6;

FIG. 10 is a top, front perspective view of a second embodiment of our new design;

FIG. 11 is a front elevational view thereof, the rear being a mirror image;

FIG. 12 is a right side elevational view thereof;

FIG. 13 is a left side elevational view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is a cross-sectional view as taken on line 16–16 of FIG. 14;

FIG. 17 is a cross-sectional view as taken on line 17–17 of FIG. 14;

FIG. 18 is a top, front perspective view of a third embodiment of our new design;

FIG. 19 is a front elevational view thereof;

FIG. 20 is a right side elevational view thereof;

FIG. 21 is a left side elevational view thereof;

FIG. 22 is a rear elevational view thereof;

FIG. 23 is a top plan view thereof;

FIG. 24 is a cross-sectional view as taken on line 24-24 of FIG. 23; FIG. 25 is a bottom plan view thereof; FIG. 26 is a top, front perspective view of a fourth embodiment of our new design; FIG. 27 is a front elevational view thereof, the rear being a mirror image; FIG. 28 is a right side elevational view thereof; FIG. 29 is a left side elevational view thereof; FIG. 30 is a top plan view thereof; FIG. 31 is a bottom plan view thereof; FIG. 32 is a cross-sectional view as taken on line 32–32 of FIG. 30;

FOREIGN PATENT DOCUMENTS

3437212 4/1986 Fed. Rep. of Germany 313/493

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm-Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a fluorescent lamp, as shown and described.



Des. 312,700 Page 2

 FIG. 33 is a cross-sectional view as taken on line 33—33 of FIG. 30; FIG. 34 is a top, front perspective view of a fifth embodiment of our new design; FIG. 35 is a front elevational view thereof; FIG. 36 is a left side elevational view thereof, the right side being a mirror image; FIG. 37 is a rear elevational view thereof; FIG. 38 is a top plan view thereof; FIG. 30 is a bottom plan view thereof; 	 FIG. 41 is a cross-sectional view as taken on line 41—41 of FIG. 35; FIG. 42 is a top, front perspective view of a sixth embodiment of our new design; FIG. 43 is a front elevational view thereof, the rear being a mirror image; FIG. 44 is a right side elevational view thereof; FIG. 45 is a left side elevational view thereof; FIG. 46 is a top plan view thereof; FIG. 47 is a bottom plan view thereof; FIG. 48 is a cross-sectional view as taken on line 48—48 			
FIG. 39 is a bottom plan view thereof;	of FIG. 46;			
FIG. 40 is a cross-sectional view as taken on line 40–40	FIG. 49 is a cross-sectional view as taken on line 49-49			

٠

×

.

.

of FIG. 38;

.

of FIG. 43.

•

• .

.

-

.

. .

. •

-.

.

.

.

`

U.S. Patent Dec. 4, 1990 Sheet 1 of 12 D312,700 FIG.I FIG.2







•





.

.

•





•

U.S. Patent Dec. 4, 1990 Sheet 2 of 12 D312,700

FIG.6 FIG.7



•

•

•



•

FIG.8







.

U.S. Patent Dec. 4, 1990 Sheet 3 of 12 D312,700

FIG.IO



.



.

.





FIG.12 FIG.13





D312,700 U.S. Patent Dec. 4, 1990 Sheet 4 of 12

•

FIG.14 FIG.15





-

FIG.16 FIG.17



.

٠

-



.

-

U.S. Patent Dec. 4, 1990 Sheet 5 of 12 D312,700

FIG.18

FIG.19





FIG.20

FIG.21



•

•







•



U.S. Patent Dec. 4, 1990 Sheet 6 of 12 D312,700

FIG.22

,

FIG.23





•

.

.



•

•

.

FIG.24 FIG.25





•

U.S. Patent Dec. 4, 1990 Sheet 7 of 12 D312,700

FIG.26

.

٠

FIG.27

2

.





.

FIG.28 FIG.29





D312,700 U.S. Patent Dec. 4, 1990 Sheet 8 of 12

-

•

FIG.31 FIG.30

.





FIG.32FIG.33



٠



. . -

U.S. Patent Dec. 4, 1990 Sheet 9 of 12 D312,700

•

FIG.34

FIG.35

.



.

•

.



FIG.36

FIG.37





•

U.S. Patent Dec. 4, 1990 Sheet 10 of 12 D312,700

.









•

.

FIG.40

•

.

•



.

•





4

U.S. Patent Dec. 4, 1990 Sheet 11 of 12 D312,700 FIG.42 FIG.43



•

٠



FIG.44

FIG.45



.



U.S. Patent Dec. 4, 1990 Sheet 12 of 12 D312,700

.

FIG.46

.

FIG.47



•



.

.



.

FIG.48 FIG.49

•

.

.





.

.

•

-

.