

[54] **INTERLOCKING PAVING BLOCK**

[76] **Inventor:** Friedrich S. Naether, Highway 67,
Box 140B, Freedom, Ind. 47431

[**] **Term:** 14 Years

[21] **Appl. No.:** 314,210

[22] **Filed:** Feb. 22, 1989

[52] **U.S. Cl.** D25/113

[58] **Field of Search** D25/112, 113, 115-118,
D25/151, 163, 150, 158, 160-162; 52/387, 392,
589-590, 604-605, 608-609; 404/34, 38-39,
41-42, 46

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 28,670	5/1898	Thomas	D25/159
D. 888,530	5/1908	Pugh	D25/158
3,947,192	3/1976	Rosenberger .	
4,128,357	12/1978	Barth et al. .	
4,544,305	10/1985	Hair .	
4,583,341	4/1986	Barth et al. .	

FOREIGN PATENT DOCUMENTS

2409188 9/1975 Fed. Rep. of Germany .

OTHER PUBLICATIONS

Kusel-form, Hermann Kusel GmbH, 1987, pp. 77 and 79, product catalog.

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Woodard, Emhardt,
Naughton, Moriarity & McNett

[57] **CLAIM**

The ornamental design for the interlocking paving block, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an interlocking paving block showing my new design.

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;


FIG. 4 is a right end elevational view thereof;

FIG. 5 is a left end elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 1.

FIG. 8 is a cross-sectional view taken along line 8—8 of FIG. 1.






Fig.2




Fig.1




Fig.3




Fig. 4




Fig. 7




Fig. 8




Fig. 5




Fig. 6