

[54] **BOTTLE**

[76] **Inventor: Raymond L. Larson, P.O. Box 3085, Fargo, N. Dak. 58108**

[**] **Term: 14 Years**

[21] **Appl. No.: 56,743**

[22] **Filed: Jun. 1, 1987**

[52] **U.S. Cl. D9/370; D9/378; D9/380; D9/401**

[58] **Field of Search D9/370, 371, 378, 380, D9/383, 401, 382, 403-413, 396; 215/1 R, 1 C, 100 A; 220/94 A; D7/306, 401; 222/466, 185**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. Re. 25,31 1/1963 Stenger et al. .
- D. 106,061 9/1937 Reeves .
- D. 171,528 2/1954 Canter .
- D. 194,069 11/1962 Houghton .
- D. 194,631 2/1963 Eicholtz .
- D. 197,918 4/1964 Petitto .
- D. 209,929 1/1968 Plummer .
- D. 210,569 3/1968 Kelly D9/376
- D. 214,973 8/1969 Amand .
- D. 227,654 7/1973 Byrne .
- D. 233,134 10/1974 Sinding .
- D. 235,310 6/1975 Betka .
- D. 243,121 1/1977 Ralston, Jr. et al. .
- D. 244,427 5/1977 Schieser et al. .
- D. 244,990 7/1977 Anderson .
- D. 258,563 3/1981 Romagnoli D9/376
- D. 275,734 10/1984 Voice .
- D. 280,709 9/1985 Waring .
- D. 282,957 3/1986 Carlson .
- D. 284,033 5/1986 Brodsky .
- D. 288,293 2/1987 Arvans D9/370
- D. 298,740 11/1988 Warrell D9/349
- D. 303,496 9/1989 Larson D9/378 X
- D. 304,806 11/1989 Mednis D9/376
- 2,374,092 4/1945 Glaser 215/6
- 2,502,298 3/1950 White 222/185
- 2,635,604 4/1953 Fredrickson .
- 3,195,752 7/1965 Cox .
- 3,341,047 9/1967 Nauta .
- 3,717,277 2/1973 Stengle, Jr. .
- 4,308,955 1/1982 Schieser et al. 215/1 C
- 4,391,308 7/1983 Steiner .
- 4,629,096 12/1986 Schroer et al. .
- 4,658,975 4/1987 Cone .

FOREIGN PATENT DOCUMENTS

- 1465560 12/1966 France 222/466
- 1565679 5/1969 France 222/466
- 110547 1/1965 Netherlands 222/465.1

OTHER PUBLICATIONS


The Reid Valve Company, Inc. brochure—"Reid Sani-Seal-Ring".
 Consumer Reports, Jan. 1987—"Water, Water Everywhere".
Primary Examiner—Melvin B. Feifer
Assistant Examiner—Lucy Lieberman
Attorney, Agent, or Firm—Burd, Bartz & Gutenkauf

[57] **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing my new design;
 FIG. 2 is a side elevational view of the right side thereof;
 FIG. 3 is a front elevational view thereof; the rear elevational view being a mirror image thereof;
 FIG. 4 is a side elevation view of the left side thereof;
 FIG. 5 is a top view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a perspective view of a first modified form of the bottle;
 FIG. 8 is a rear elevational view of FIG. 7;
 FIG. 9 is a front elevational view of FIG. 7;
 FIG. 10 is a side elevational view of the left side of FIG. 7;
 FIG. 11 is a side elevational view of the right side of FIG. 7;
 FIG. 12 is a top view of FIG. 7;
 FIG. 13 is a bottom view of FIG. 7;
 FIG. 14 is a perspective view of a second modified form of the bottle;
 FIG. 15 is a bottom view of FIG. 14;
 FIG. 16 is a front elevational view of FIG. 14, the rear elevational view being a mirror image thereof;
 FIG. 17 is a side elevational view of the left side of FIG. 14;
 FIG. 18 is a side elevational view of the right side of FIG. 14; and
 FIG. 19 is a top view of FIG. 14.






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9





Fig. 10

Fig. 11






Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19