

United States Patent [19]

Hamada et al.

[11] Patent Number: **Des. 313,213**

[45] Date of Patent: **** Dec. 25, 1990**

[54] **VEHICLE TIRE**

4,641,696 2/1987 Semin et al. 152/209 R

[75] Inventors: **Tokimi Hamada; Shigeru Matsunami,**
both of Osaka, Japan

[73] Assignee: **The Ohtsu Tire & Rubber Co., Ltd.,**
Izumi-Ohtsu, Japan

[**] Term: **14 Years**

[21] Appl. No.: **184,229**

[22] Filed: **Apr. 21, 1988**

[30] **Foreign Application Priority Data**

Oct. 28, 1987 [JP] Japan 62-44224

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/145-151,**
D12/140; 152/209 R, 209 B, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 278,618 4/1985 Kojima et al. D12/147

D. 284,562 7/1986 Kojima et al. D12/147

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 16, Bridgestone Potenza RE71 Tire, top left side of page.

1987 Tread Design Guide, p. 81, Yokohama AVS-V152 Tire, second row down from top, right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Armstrong, Nikaido,
Marmelstein, Kubovcik & Murray

[57] **CLAIM**

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire showing the design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevation view thereof; and

FIG. 3 is a side elevation view thereof.




FIG.1




FIG.2




FIG. 3

