## United States Patent [19]

## Bakic

[11] Patent Number: Des. 313,289

[45] Date of Patent: \*\* Dec. 25, 1990

[54]	LIPSTICK CASE			
[75]	Inventor:	Kar	ena Bakic, Varese, Italy	
[73]	Assignee:		Cosmede Anstalt, Vaduz, Liechtenstein	
[**]	Term:	14	14 Years	
[21]	Appl. No.: 426,061			
[22]	Filed:	Oct	. 24, 1989	
Related U.S. Application Data				
[62] Division of Ser. No. 105,213, Oct. 6, 1987.				
[30] Foreign Application Priority Data				
Apr. 10, 1987 [DE] Fed. Rep. of Germany URA536/87				
[52]	U.S. Cl		D28/88	
D9/338; 132/317, 318, 320; 401/88, 98				
[56] References Cited				
U.S. PATENT DOCUMENTS				
D.	279,827 7	/1985	Buchet D28/85	
D.	280,451 9	/1985	Bakic D28/88	
D.	282,015 12	/1985	Bakic D28/86	
	283,454 4		<b>▼</b>	
	2,333,812 11		•	
			Kock 206/530 X	
3	3,162,304 12	/1964	Bau 401/63	
ъ.		_		

Primary Examiner—Bernard Ansher

Attorney, Agent, or Firm—Kenyon & Kenyon

Assistant Examiner—C. Tuttle

[57] CLAIM

The ornamental design for lipstick case, as shown and described.

## **DESCRIPTION**

FIG. 1 is a top perspective view of a lipstick case showing my new design;

FIG. 2 is an exploded perspective view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a top perspective view of a second modified embodiment;

FIG. 9 is an exploded perspective view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a side elevational view thereof;

FIG. 13 is a front elevational view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a top perspective view of a third modified embodiment;

FIG. 16 is an exploded perspective view thereof;

FIG. 17 is a bottom plan view thereof;

FIG. 18 is a rear elevational view thereof;

FIG. 19 is a side elevational view thereof;

FIG. 20 is a front elevational view thereof;

FIG. 21 is a top plan view thereof;

FIG. 22 is a top perspective view of a fourth modified embodiment;

FIG. 23 is an exploded perspective view thereof;


FIG. 24 is a bottom plan view thereof;


FIG. 25 is a rear elevational view thereof;


FIG. 26 is a side elevational view thereof;

FIG. 27 is a front elevational view thereof; and

FIG. 28 is a top plan view thereof.












FIG. 2




FIG. 3



F1G. 4




F1G. 5




F1G. 6




F1G. 7




F1G. 8







F1G. 9




F1G. 10




F1G.11




F1G. 12



F1G. 13



F1G. 14








FIG. 16




FIG. 17



F I G. 18




F1G.19




F1G. 20



F1G. 21




F1G.22




F1G. 23




F1G. 24



F1G. 25



F1G. 26



F1G. 27



F1G. 28