

[54] CASSETTE TAPE PLAYER

D. 306,858 3/1990 Zeitman D14/163

[75] Inventors: Shinji Ikeya; Kenichi Ogawa; Chihiro Fuse; Yasuhiro Ohe; Hiroyuki Miyai; Koji Nobuchi; Hiroko Kitano, all of Osaka, Japan

[73] Assignee: Sanyo Electric Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 232,928

[22] Filed: Aug. 16, 1988

[30] Foreign Application Priority Data

Feb. 19, 1988 [JP] Japan 63-6732

[52] U.S. Cl. D14/165; D21/112

[58] Field of Search D14/154, 160-168, D14/188, 192; 455/344, 350, 351; D21/112

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 295,855 5/1988 Koo D14/163
- D. 301,846 6/1989 Beyer D14/163

OTHER PUBLICATIONS

Hong Kong Enterprise; 3/88; p. 205; bottom left—Model SL-88.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a cassette tape player, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a cassette tape player showing our new design;
 FIG. 2 is a top, front and right side perspective view thereof, shown with the tape compartment door open and a protective panel of the right hand speaker removed;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a right side elevational view thereof; and
 FIG. 8 is a left side elevational view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

