

[54] PORTABLE SIGNALLING DEVICE FOR MONITORING TELEPHONE RINGS

[76] Inventors: Kal R. Castleberry; Ginger L. Castleberry, both of 5100 Old Benton Rd., Paducah, Ky. 42002

[**] Term: 14 Years

[21] Appl. No.: 306,650

[22] Filed: Feb. 6, 1989

[52] U.S. CL. D10/106

[58] Field of Search D10/106, 104, 109, 121; 325/16, 361, 118, 119, 117, 356; 340/577, 579, 590, 627, 630, 693

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 174,792 5/1955 Frank D10/118
- D. 285,542 9/1986 Tanaka et al. D10/106

- D. 309,119 7/1990 Kremityki D10/104
- 2,553,244 5/1951 Ellmann D10/106
- 3,182,307 5/1965 Doggart D10/106

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Jerry T. Kearns

[57] CLAIM

The ornamental design for a portable signalling device for monitoring telephone rings, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a portable signalling device for monitoring telephone rings showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.





Fig. 1





Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6