

[54] SAFETY RAZOR

4,587,730 5/1986 Iten 30/32

[76] Inventor: Robert Tiegs, 5300 Hwy., Rte. 4,
Janesville, Wis. 53545

FOREIGN PATENT DOCUMENTS

2155383A 9/1985 United Kingdom 30/47

[**] Term: 14 Years

Primary Examiner—Bernard Ansher
Assistant Examiner—David Jeo
Attorney, Agent, or Firm—T. M. Gernstein

[21] Appl. No.: 244,261

[57] CLAIM

[22] Filed: Sep. 14, 1988

The ornamental design for a safety razor, as shown.

[52] U.S. Cl. D28/46
[58] Field of Search D28/45, 46, 47, 48;
30/32, 47, 85, 86, 50, 41, 51


DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 215,915 11/1969 Biklen D28/46
2,837,820 6/1958 Ostrowski 30/51
3,283,403 11/1966 Chambers 30/85
3,810,305 5/1974 Perry 30/47
4,542,828 9/1985 Gotto 30/41

FIG. 1 is a perspective view of a safety razor showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the left side being a mirror image;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.






FIG. 5




FIG. 4




FIG. 1




FIG. 6




FIG. 2




FIG. 3