

[54] VEHICLE AIR BRAKE SLACK GAUGE

[76] Inventor: George Hamatani, Rte. 1, Box 400,  
Clarksburg, Calif. 95612

[\*\*] Term: 14 Years

[21] Appl. No.: 177,305

[22] Filed: Apr. 4, 1988

[52] U.S. Cl. .... D10/70; D10/73

[58] Field of Search ..... D10/61, 64, 74, 70;  
33/609, 558, 783, 484, 485; 73/39, 121-132;  
188/1.11, 196 R, 196 A, 196 B, 196 C, 196 D,  
196 F, 196 M, 196 P, 196 V, 196 BA

[56] References Cited

U.S. PATENT DOCUMENTS

636,098	10/1899	Arnot	33/783 X
661,562	11/1900	Starrett	33/783
1,393,746	10/1921	Bushnell	33/783
4,553,742	11/1985	Freitag	33/783

Primary Examiner—Nelson C. Holtje


Assistant Examiner—Antoine D. Davis  
Attorney, Agent, or Firm—Lothrop & West

[57] CLAIM

The ornamental design for a vehicle air brake slack gauge, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a vehicle air brake slack gauge showing my new design; FIG. 2 is a left side elevational view; FIG. 3 is a front elevational view; FIG. 4 is a rear elevational view; FIG. 5 is a top plan view; FIG. 6 is a bottom plan view; FIG. 7 is a right side elevational view, the broken line showing of a vertical surface and pipe are environmental only and form no part of the claimed design; and FIG. 8 is a top, front and left side perspective view thereof, with the scale ruler returned to base position and the pointer ruler shown in use, the broken line showing of a pipe is environmental only and forms no part of the claimed design.






FIG. 1.

FIG. 3.




FIG. 2.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.