

[54] **VEHICLE TIRE**

[75] **Inventor: Kotaro Tsutsumi, Tokyo, Japan**

[73] **Assignee: The Ohtsu Tire & Rubber Co., Ltd.,  
Osaka, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 170,973**

[22] **Filed: Mar. 15, 1988**

[30] **Foreign Application Priority Data**

Sep. 16, 1987 [JP] Japan ..... 62-37905

[52] **U.S. Cl. .... D12/147**

[58] **Field of Search ..... D12/136, 140, 146-151;  
152/209 R, 209 B, 209 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 301,221 5/1989 Tatsumi ..... D12/149  
D. 301,707 6/1989 Igarashi ..... D12/147


*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Armstrong, Nikaido,  
Marmelstein, Kubovcik & Murray

[57] **CLAIM**


The ornamental design for a vehicle tire, as shown and described.


**DESCRIPTION**

FIG. 1 is a right side elevational view of a vehicle tire showing the design;  
FIG. 2 is a front elevational view thereof; and  
FIG. 3 is a perspective view thereof it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire, the opposite side being substantially the same as that shown.




**FIG. 1**





*FIG. 2*



*FIG. 3*