

United States Patent [19]

Hazama et al.

[11] Patent Number: **Des. 313,782**

[45] Date of Patent: **** Jan. 15, 1991**

[54] **AUTOMOBILE TIRE**

[75] Inventors: **Hirohisa Hazama; Masahiro Ogata,**
both of Hiratsuka; **Izumi Kuramochi,**
Tokyo, all of Japan

[73] Assignee: **The Yokohama Rubber Co., Ltd.,**
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **212,755**

[22] Filed: **Jun. 28, 1988**

[30] **Foreign Application Priority Data**

Feb. 8, 1988 [JP] Japan 63-4441

[52] U.S. Cl. **D12/148**

[58] Field of Search **D12/141-143,**
D12/145-148; 152/209 R, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 110,470 7/1938 Wait D12/145

D. 127,334 5/1941 Thacher D12/141
D. 238,060 12/1975 Sakaki D12/146

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Armstrong, Nikaido,
Marmelstein, Kubovcik & Murray

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of an automobile tire showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a right side elevation view thereof, the left side being the same;
FIG. 4 is an enlarged fragmentary front elevation view thereof, showing more clearly the tread design;
FIG. 5 is an enlarged sectional view taken along line 5—5 on FIG. 4; and
FIG. 6 is a perspective view thereof it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire.




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6

