

[54] COMBINED HANDSET TELEPHONE AND STAND THEREFOR

[75] Inventor: Paul C. Appleby, London, England

[73] Assignee: Dialatron Limited, Chessington, England

[**] Term: 14 Years

[21] Appl. No.: 175,734

[22] Filed: Mar. 31, 1988

[30] Foreign Application Priority Data

Oct. 1, 1987 [GB] United Kingdom 1045318
[52] U.S. Cl. D14/151; D14/148
[58] Field of Search D14/148, 149, 147, 150, D14/142, 151, 248; 379/440, 433, 434, 435, 436, 419, 428

[56] References Cited

U.S. PATENT DOCUMENTS

Table with 4 columns: Patent No., Date, Inventor, and Reference No. (D14/148 to D14/150)

Primary Examiner—Horace B. Fay, Jr.

Attorney, Agent, or Firm—Fleit, Jacobson, Cohn, Price, Holman & Stern

[57] CLAIM

The ornamental design for combined handset telephone and stand therefor, as shown and described.

DESCRIPTION

FIG. 1 is a left side, top and rear end perspective view of a combined handset telephone and stand therefor showing my new design in cradled relationship; FIG. 2 is a left side elevational view thereof, the side opposite being a substantially a mirror image; FIG. 3 is a bracket associated perspective view of the left, top, and rear end of the stand and a bottom plan view of the handset telephone, shown spaced apart for clarity of illustration; FIG. 4 is a similar bracket associated perspective view of the bottom and rear end of the handset telephone and a rear end, top, and right side of the stand, shown spaced apart; FIG. 5 is a left side, top and rear end of a second embodiment thereof shown in cradled relationship; FIG. 6 is a left side elevational view thereof, the side opposite being substantially a mirror image thereof; FIG. 7 is a bracket associated perspective view of the left side, top and rear end of the stand and a bottom plan view of the handset telephone thereof shown spaced apart for clarity of illustration; FIG. 8 is a similar bracket associated perspective view of the left side, bottom, and rear end of the handset telephone and a rear end, top and right side of the stand; and FIG. 9 is a bottom plan view of the stand. The bottom of the base of the first embodiment is plain




Fig. 1.





Fig. 2.







Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.

