

[54] HUMIDITY DETECTOR

[75] Inventors: Clifton W. Brown, East Lansing;
Robert D. Kriegel, Lansing; Max R.
Olinger, Grand Ledge, all of Mich.

[73] Assignee: Neogen Corporation, Lansing, Mich.

[**] Term: 14 Years

[21] Appl. No.: 217,271

[22] Filed: Jul. 11, 1988

[52] U.S. Cl. D10/56

[58] Field of Search D10/49, 50, 51, 52,
D10/56; 73/335, 336, 336.5, 338, 338.3, 338.6,
337, 337.5; 236/44 R, 94; 261/DIG. 34;
374/194, 208, 209

[56] References Cited

U.S. PATENT DOCUMENTS

D. 181,958 9/1965 Cott et al. D10/57

D. 292,778 11/1987 Clivio et al. D10/56
2,894,391 7/1959 Cott et al. 73/338.6
3,303,700 2/1967 Kahl 73/338.6
3,890,828 6/1975 Pleva 73/338.6


Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Ian C. McLeod


[57] CLAIM

The ornamental design for a humidity detector, as shown and described.


DESCRIPTION

FIG. 1 is a right side elevation of a humidity detector showing my new design;
FIG. 2 is a front elevational view;
FIG. 3 is a left side elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a top plan view; and
FIG. 6 is a bottom plan view thereof.







—FIG. 1




—FIG. 2




—FIG. 3



—FIG. 4



—FIG. 5



—FIG. 6