

[54] CONTROL HEAD FOR A RADIO
 [75] Inventor: Douglas M. Dickson, Lynchburg, Va.
 [73] Assignee: General Electric Company, Lynchburg, Va.
 [**] Term: 14 Years
 [21] Appl. No.: 183,168
 [22] Filed: Apr. 19, 1988
 [52] U.S. Cl. D14/257; D14/137
 [58] Field of Search D14/137-139, D14/155, 157, 188, 194, 197-198, 257-258, 265, 299; 455/89-90, 345-346

4,231,115 10/1980 Henderson et al. .
 4,471,898 9/1984 Parker .
 4,481,512 11/1984 Tscheulin et al. .
 4,578,739 3/1986 McKee .
 4,621,373 11/1986 Hodsdon .
 4,623,992 11/1986 Kurosaki et al. .

OTHER PUBLICATIONS

Boating; Mar. 1987; p. 27; Standard Marine VHF.
 Primary Examiner—Theodore M. Shooman
 Attorney, Agent, or Firm—Nixon & Vanderhuy

CLAIM


The ornamental design for a control head for a radio, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a control head for a radio showing my new design; FIG. 2 is top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a rear elevational view thereof; FIG. 8 is a front elevational view of a second embodiment of the control head for a radio illustrated in FIG. 1; FIG. 9 is a front elevational view of a third embodiment of the control head for a radio illustrated in FIG. 1; FIG. 10 is a front elevational view of a fourth embodiment of the control head for a radio illustrated in FIG. 1; FIG. 11 is a front elevational view of a fifth embodiment of the control head for a radio illustrated in FIG. 1; FIG. 12 is a front elevational view of a sixth embodiment of the control head for a radio illustrated in FIG. 1; and FIG. 13 is a front elevational view of a seventh embodiment of the control head for a radio illustrated in FIG. 1; The top, bottom, rear and sides of the embodiments disclosed in FIGS. 7 through 12 are identical to the corresponding views of the embodiment disclosed in FIG. 1. The broken line showing of the electrical connection in FIGS. 4, 5 and 7 is for illustrative purposes only and forms no part of the claimed design.

[56] References Cited
 U.S. PATENT DOCUMENTS

- D. 223,833 6/1972 Dreyfuss et al. .
- D. 229,834 1/1974 Taylor .
- D. 232,561 8/1974 Stessel D14/137
- D. 247,851 5/1978 Müller .
- D. 253,937 1/1980 Sulek et al. D14/139
- D. 254,437 3/1980 Ohta .
- D. 255,901 7/1980 Tokiyama .
- D. 260,771 9/1981 Kainass .
- D. 269,434 6/1983 Nagele .
- D. 277,667 2/1985 Zurawski .
- D. 278,055 3/1985 Vajdaffy .
- D. 279,779 7/1985 Taylor .
- D. 284,283 6/1986 van de Ven .
- D. 288,199 2/1987 Stoddard et al. .
- D. 288,682 3/1987 Gierschick et al. .
- D. 289,046 3/1987 Stoddard .
- D. 290,608 6/1987 Fisher .
- D. 292,210 10/1987 Imazeki .
- D. 292,586 11/1987 George et al. .
- D. 292,704 10/1987 Imazeki .
- D. 293,568 1/1988 Martinez .
- D. 300,632 4/1989 Culbertson D14/137
- D. 300,634 4/1989 Dickson D14/257
- 2,691,724 10/1954 Hoffman .
- 2,731,555 1/1956 Beck .
- 3,059,184 10/1962 Germain .
- 3,091,736 5/1963 Germain .
- 3,553,585 1/1971 Robertson et al. .
- 3,667,045 5/1972 Combs .
- 4,081,751 3/1978 Maddaloni .
- 4,100,372 7/1978 Hypolite .
- 4,134,070 1/1979 Henderson et al. .
- 4,199,724 4/1980 Kondo .
- 4,211,976 7/1980 Inoue .






FIG. 1

FIG. 2





FIG. 3




FIG. 4




FIG. 5

FIG. 6





FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13