

[54] REEL SEAT FOR FISHING ROD

[75] Inventor: Mitsuyoshi Oyama, Musashino

[73] Assignee: Daiwa Seiko, Inc., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 250,820

[22] Filed: Sep. 29, 1988

[30] Foreign Application Priority Data

Apr. 6, 1988 [JP] Japan ..... 63-13893

[52] U.S. Cl. .... D22/142

[58] Field of Search ..... D22/142; 43/18.1, 22, 43/23

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 156,983 1/1950 McMillan ..... D22/142
- D. 228,759 10/1973 Ohmura ..... D22/142
- D. 288,113 2/1987 Childre ..... D22/142
- D. 289,193 4/1987 Childre ..... D22/142
- D. 290,154 6/1987 Ohmura ..... D22/142

- D. 290,155 6/1987 Ohmura ..... D22/142
- D. 290,156 6/1987 Ohmura ..... D22/142
- D. 290,158 6/1987 Ohmura ..... D22/142
- 4,644,680 2/1987 Dawson ..... 43/18.1

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris V. Coles



Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] CLAIM


The ornamental design for a reel seat for fishing rod, as shown and described.

DESCRIPTION


FIG. 1 is a top, front and one side perspective view of a reel seat for fishing rod showing my new design; FIG. 2 is a bottom, front and one side perspective view thereof; FIG. 3 is a rear and one side perspective view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a side elevational view, the opposite side being a mirror image thereof; FIG. 7 is a top plan view thereof; and FIG. 8 is a bottom plan view thereof.




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*

