

[54] **HAIR DRYER**  
 [75] **Inventor: Yuji Kakuya, Osaka, Japan**  
 [73] **Assignee: Takara Belmont Kabushiki Kaisha, Osaka, Japan**  
 [\*\*] **Term: 14 Years**  
 [21] **Appl. No.: 301,250**  
 [22] **Filed: Jan. 24, 1989**  
 [30] **Foreign Application Priority Data**  
 Sep. 17, 1988 [JP] Japan ..... 63-36638  
 [52] **U.S. Cl. .... D28/17**  
 [58] **Field of Search ..... D28/17, 12; 132/212, 132/271, 333; 219/222, 354, 377; 34/96-101; D24/62**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
 1,878,140 9/1932 Hicks ..... 219/348 X  
 3,027,654 4/1962 Kremer et al. .... 34/96

3,045,100 7/1962 Mills ..... 219/354  
 3,650,041 3/1972 Strzelczyk ..... 34/99  
 4,541,442 9/1985 Hollmann et al. .... 132/212  
 4,691,451 9/1987 Giorgis ..... 34/68

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—C. Tuttle  
*Attorney, Agent, or Firm*—McGlew & Tuttle

[57] **CLAIM**

The ornamental design for a hair dryer, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a hair dryer showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a right side elevational view thereof;  
 FIG. 6 is a rear elevational view thereof; and  
 FIG. 7 is a cross sectional view taken on the line 2—2 of FIG. 2.






FIG. 1




FIG. 2




FIG. 3






FIG. 4



F I G. 5



F I G. 6




FIG. 7

