

[54] EYESTAY ELEMENT OF A SHOE UPPER

[75] Inventor: Michael A. Aveni, Lake Oswego, Oreg.

[73] Assignees: Nike, Inc.; Nike International, Ltd., both of Beaverton, Oreg.

[\*\*] Term: 14 Years

[21] Appl. No.: 537,763

[22] Filed: Jun. 14, 1990

[52] U.S. Cl. .... D2/314; D2/313; D2/315; D2/328

[58] Field of Search ..... D2/264, 265, 308-314, D2/315, 328; 36/50, 45, 83, 84, 101-103, 106, 112-115, 132, 136

[56] References Cited

U.S. PATENT DOCUMENTS

D. 291,383	8/1987	Campbell et al. ....	D2/309
D. 295,578	5/1988	Tong .....	D2/314
D. 298,282	11/1988	Brown et al. ....	D2/314
D. 299,081	12/1988	Greenburg .....	D2/314
D. 301,081	5/1989	Quan et al. ....	D2/314
D. 301,388	6/1989	Miller et al. ....	D2/314
D. 303,451	9/1989	Weiner .....	D2/313

OTHER PUBLICATIONS

Nike ad brochure of May 1989, Basketball Air Flight '90.  
Nike 1988 Fall catalog, pp. 12 and 30, published Jan. 1988.  
Nike 1989 Spring catalog, p. 8, published Jun. 1988.

Primary Examiner—Louis S. Zarfaz  
Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[57] CLAIM

The ornamental design for an eyestay element of a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of an eyestay element of a shoe upper showing my new design;

FIG. 2 is a side elevational view of an eyestay element of a shoe upper showing a second embodiment of my new design, the second embodiment being a mirror image of the first;

FIG. 3 is a section taken on line 3—3 of FIG. 2;

FIG. 4 is a side elevational view of an eyestay element of a shoe upper showing a third embodiment of my new design;

FIG. 5 is a side elevational view of an eyestay element of a shoe upper showing a fourth embodiment of my new design, the fourth embodiment being a mirror image of the third;

FIG. 6 is a section taken on line 6—6 of FIG. 5;

FIG. 7 is a side elevational view of an eyestay element of a shoe upper showing a fifth embodiment of my new design;

FIG. 8 is a side elevational view of an eyestay element of a shoe upper showing a sixth embodiment of my new design the sixth embodiment being a mirror image of the fifth;

FIG. 9 is a section taken on line 9—9 of FIG. 8;

FIG. 10 is a side elevational view of an eyestay element of a shoe upper showing a seventh embodiment of my new design;

FIG. 11 is a side elevational view of an eyestay element of a shoe upper showing an eighth embodiment of my new design, the eighth embodiment being a mirror image of the seventh; and

FIG. 12 is a section taken on line 12—12 of FIG. 11.

The broken line showing of a shoe upper in FIGS. 1, 2, 4, 5, 7, 8, 10 and 11 is for illustrative purposes only and forms no part of the claimed design.





FIG. 1






FIG. 2

FIG. 3



FIG. 4






FIG. 5





FIG. 6



FIG. 7






FIG. 10






FIG. 11

FIG. 12

FIG. 12

