

[54] DATA PROCESSOR

[75] Inventors: Minoru Aoyama; Ei Yamamoto, both of Tokyo, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 381,171

[22] Filed: Jul. 18, 1989

[30] Foreign Application Priority Data
 Jan. 19, 1989 [JP] Japan 1-1662

[52] U.S. Cl. D14/100

[58] Field of Search D14/100, 102, 104, 107, D14/108, 109, 120; D13/184; 360/97-99, 132, 133, 413; 361/330, 331, 334, 335, 390-395, 415, 426; 200/5 A, 5 R, 6 A, 6 R; 369/34, 132, 176, 178, 292

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 262,968 2/1982 Hutcheson D14/107
- D. 290,844 7/1987 Shibuya et al. D14/107 X
- D. 293,111 12/1987 Nezu D14/102
- D. 303,253 9/1989 Acciaioli D14/109
- D. 308,047 5/1990 Aderman et al. D14/100

Primary Examiner—Wallace R. Burke
 Assistant Examiner—Freda S. Nunn
 Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for data processor, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of data processor showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and
 FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

