

[54] STEAM IRON

[75] Inventors: Marshall B. Johnson,
Mechanicsville; John C. Meadway,
Richmond, both of Va.

[73] Assignee: Proctor-Silex, Inc., Glen Allen, Va.

[**] Term: 14 Years

[21] Appl. No.: 252,868

[22] Filed: Oct. 3, 1988

[52] U.S. Cl. D32/70

[58] Field of Search D32/68-73;
38/69-71, 74-75, 77.1-77.9, 79, 81-82, 85, 88,
90; 219/245-259, 271-273

[56] References Cited

U.S. PATENT DOCUMENTS			
D. 214,753	7/1969	Schellens	D32/70
D. 240,997	8/1976	Julkenbeck	D32/70
D. 269,213	5/1983	Martin	D32/70
D. 283,932	5/1986	Dobson	D32/68
D. 283,933	5/1986	Dobson	D32/68
D. 284,800	7/1986	Cavalli	D32/70
D. 285,376	8/1986	Stutzer et al.	D32/70
D. 286,215	10/1986	Patacki	D32/70
D. 286,216	10/1986	Patacki	D32/70
D. 294,991	3/1988	Johnson et al.	D32/70
D. 298,877	12/1988	Osit	D32/70
3,733,725	5/1973	Troullhet	38/77.5
4,642,922	2/1987	Prudenziati	38/81

OTHER PUBLICATIONS

Advertisement, 4-page section from brochure and cata-

logue (1986), published by WearEver-Proctor Silex, Inc., Chillicothe, Ohio 45601.

Advertisement, 4-page section from product book, published by Rowenta International 86 (1986).

Advertisement, Promotion Sheet, 2-pages, published by WearEver-Proctor Silex, Inc., Chillicothe, Ohio 45601.

Advertisement, Norelco, 1 Sheet, (1987).

Advertisement, Philips, 1 Sheet (1987).

Advertisement, Eastern Electric, 1 Sheet (1987).

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lavone D. Tabor

Attorney, Agent, or Firm—Roger S. Dybvig

[57] CLAIM

The ornamental design for a steam iron, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a steam iron showing our new design;

FIG. 2 is a reduced front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a perspective view of a modified form of FIG. 1, the only difference residing in the inclusion of a rectangular indicator light on the lower left side of the heel rest.

The broken line showing of a conventional cord in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7

