

[54] **FENCE POST ANCHOR**
 [76] **Inventor: Dale L. Cobb, 2177 Mager Dr., Herndon, Va. 22071**
 [**] **Term: 14 Years**
 [21] **Appl. No.: 239,831**
 [22] **Filed: Sep. 2, 1988**
 [52] **U.S. Cl. D8/373; 52/170; D25/44**
 [58] **Field of Search D25/126, 38, 44, 43, D25/42, 127, 129, 130; D8/373, 1; 52/170, 297, 169; 248/530, 545, 156; D22/118**


252,662 3/1882 Kinney 52/170 X
 405,658 6/1889 Company 52/170
 4,038,802 8/1977 Bajorek et al. D25/126 X
 4,593,872 6/1986 Svensson 248/530 X
 4,615,156 10/1986 Deike 52/170 X
 4,778,142 10/1988 Rota 248/156 X
 4,831,798 5/1989 Otteson D25/126 X
 4,832,304 5/1989 Morgulis 248/530 X
 4,920,897 5/1990 Reed et al. 248/156 X

Primary Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—Jerry T. Kearns

[57] **CLAIM**
 The ornamental design for a fence post anchor, as shown and described.

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 29,550 10/1898 Pattenson D8/373
 D. 32,404 3/1900 Glodney D8/373
 D. 206,061 10/1966 Magness D25/44 X
 D. 231,335 8/1971 Clayton D22/118
 D. 234,839 4/1975 Culling et al. D22/118
 D. 248,874 8/1978 Prause D25/44 X

DESCRIPTION
 FIG. 1 is a front elevational view of a fence post anchor showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof; and,
 FIG. 6 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6