

[54] IRON

[75] Inventor: Ludwig Littmann, Königstein, Fed. Rep. of Germany

[73] Assignee: Braun Aktiengesellschaft, Frankfurt am Main, Fed. Rep. of Germany

[*] Notice: The portion of the term of this patent subsequent to Jan. 29, 2005 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 212,754

[22] Filed: Jun. 28, 1988

[30] Foreign Application Priority Data

Jan. 11, 1988 [DE] Fed. Rep. of Germany 73 MR 9652

[52] U.S. Cl. D32/70

[58] Field of Search D32/68-73; 38/69, 74-75, 77.1-77.8, 77.81, 77.82, 77.83, 77.9, 79, 82, 85, 88, 90; 219/245-247

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 284,800 7/1986 Cavalli D32/70
- D. 291,130 7/1987 Brun D32/70

- D. 291,615 8/1987 Ogawa et al. D32/70
- 4,702,933 10/1987 Kramer 219/245 X

FOREIGN PATENT DOCUMENTS

- 5MR10588 4/1985 Fed. Rep. of Germany .
- 73MR9391 5/1985 Fed. Rep. of Germany .
- 73MR9441 12/1985 Fed. Rep. of Germany .
- 5MR10728 11/1986 Fed. Rep. of Germany .

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lavone D. Tabor
Attorney, Agent, or Firm—Fish & Richardson

[57] CLAIM

The ornamental design for an iron, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an iron embodying my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top plan view thereof.
The conventional cord is partially shown in FIGS. 1, 2, 3, 5 and 7 and omitted in FIGS. 4 and 6 for ease of illustration.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

