

# United States Patent [19]

Minakawa et al.

[11] Patent Number: Des. 314,582

[45] Date of Patent: \*\* Feb. 12, 1991

[54] CAMERA

[75] Inventors: Yoshihisa Minakawa, Tokyo;  
Tetsuya Goto, Yokohama, both of  
Japan

[73] Assignee: Ricoh Company, Ltd., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 179,131

[22] Filed: Apr. 8, 1988

[30] Foreign Application Priority Data

Oct. 9, 1987 [JP] Japan ..... 041,233/87

[52] U.S. Cl. .... D16/217 R

[58] Field of Search ..... D16/200, 202, 203-206,  
D16/208, 209, 216-218; 354/152, 82, 187, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 304,596 11/1989 Goto ..... D16/217

D. 305,769 1/1990 Swayze ..... D16/202

D. 306,037 2/1990 Nakayama ..... D16/209

4,420,240 12/1983 Katsuma et al. .... 354/288

Primary Examiner—Melvin B. Feifer

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Oblon, Spivak, McClelland,  
Maier & Neustadt

[57] CLAIM

The ornamental design for camera, as shown and de-  
scribed.

DESCRIPTION

FIG. 1 is a front and top-left perspective view of a  
camera showing our new design;

FIG. 2 is a rear end top-left perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and

FIG. 8 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8

